L Number	Hits	Search Text	DB	Time stamp
1	0	(oblivious adj check\$3) and @ad<20000327	USPAT;	2004/03/03 15:24
-	•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	US-PGPUB;	2001,00,00
			EPO; JPO;	
			IBM_TDB	
2	3	(oblivious with check\$3) and @ad<20000327	USPAT;	2004/03/03 15:26
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	000.40040045
3	12	(oblivious same check\$3) and @ad<20000327	USPAT; US-PGPUB;	2004/03/03 15:28
			EPO; JPO;	
			IBM TDB	
4	4	(oblivious same hash\$3) and @ad<20000327	USPAT:	2004/03/03 15:30
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
5	132	("black box" same (hash\$3 check\$3	USPAT;	2004/03/03 15:30
	:	checksum)) and @ad<20000327	US-PGPUB;	
			EPO; JPO;	
		(11)	IBM_TDB	
6	59	("black box" with (hash\$3 check\$3	USPAT;	2004/03/03 15:35
		checksum)) and @ad<20000327	US-PGPUB; EPO; JPO;	
			IBM TDB	
7	1416660	(checksum register input (summation	USPAT;	2004/03/03 15:36
'	1.10000	cummulative)) and @ad<20000327	US-PGPUB;	-551, 55, 55 15.50
			EPO; JPO;	
			IBM TDB	
8	3	(checksum same register same input same	USPĀT;	2004/03/03 15:36
		(summation cummulative)) and @ad<20000327	US-PGPUB;	
			EPO; JPO;	
	260		IBM_TDB	0004/02/00 12 14
-	362	(checksum) same (input) same (register flag buffer variable) and @ad<20000327	USPAT; US-PGPUB;	2004/03/02 13:14
		liag buller variable) and @ad<20000327	EPO; JPO;	
			IBM TDB	
_	11	((checksum) same (input) same (register	USPĀT;	2004/03/02 11:27
		flag buffer variable) and @ad<20000327)	US-PGPUB;	
		and (insert\$3) same (instruction) same	EPO; JPO;	
		(modif\$4 updat\$3 chang\$3 alter\$3) same	IBM_TDB	
		(register flag variable buffer)		
-	1	("6483918").PN.	USPAT;	2004/03/02 11:27
			US-PGPUB;	
			EPO; JPO; IBM TDB	
_	1	"5724428".PN.	USPAT	2004/03/02 11:26
_	أ أ	6483918.URPN.	USPAT	2004/03/02 11:26
_	Ö	((checksum) same (input) same (register	USPAT;	2004/03/02 11:27
i	_	flag buffer variable) and @ad<20000327)	US-PGPUB;	
		and (insert\$3) with (instruction) same	EPO; JPO;	
		(modif\$4 updat\$3 chang\$3 alter\$3) with	IBM_TDB	
		(register flag variable buffer)		0004/02/02 15 22
-	211	(insert\$3) with (instruction) same	USPAT;	2004/03/02 15:39
		(modif\$4 updat\$3 chang\$3 alter\$3) with (register flag variable buffer) and	US-PGPUB; EPO; JPO;	
		(register flag variable buffer) and @ad<20000327	IBM TDB	
-	2		USPAT;	2004/03/02 11:29
		(modif\$4 updat\$3 chang\$3 alter\$3) with	US-PGPUB;	
		(register flag variable buffer) and	EPO; JPO;	
		(input) and (checksum) and @ad<20000327	IBM_TDB	
-	104	(augment\$6 alter\$5 obfuscat\$3) and	USPAT;	2004/03/02 11:35
		(insert\$3) with (instruction) same	US-PGPUB;	
		(modif\$4 updat\$3 chang\$3 alter\$3) with	EPO; JPO;	
		(register flag variable buffer) and @ad<20000327	IBM_TDB	
_	34		USPAT;	2004/03/02 11:36
	34	(identify) with (instruction) and	US-PGPUB;	2004/03/02 11:30
		(insert\$3) with (instruction) same	EPO; JPO;	
		(modif\$4 updat\$3 chang\$3 alter\$3) with	IBM TDB	
		(register flag variable buffer) and		.
		@ad<20000327		

			-	
	5	(augment\$6 alter\$5 obfuscat\$3) and (identify) with (instruction) with (modif\$4 updat\$3 chang\$3 alter\$3) and (insert\$3) with (instruction) same (modif\$4 updat\$3 chang\$3 alter\$3) with	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/02 12:46
_	1	(register flag variable buffer) and @ad<20000327 6256777.URPN.	USPAT	2004/03/02 12:44
-	9	("4953084" "5265254" "5533192" "5812850" "5881288" "5889981" "5956479" "5956512" "6091896").PN.	USPAT	2004/03/02 12:45
-	19	(augment\$6 alter\$5 obfuscat\$3) and (input) with (checksum) with (register) and @ad<20000327	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/02 12:54
-	84	(input) with (checksum) with (register variable buffer) and @ad<20000327	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/02 13:01
-	38	(input) with (checksum) with (register) and @ad<20000327	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/02 12:55
-	19	((input) with (checksum) with (register) and @ad<20000327) not ((augment\$6 alter\$5 obfuscat\$3) and (input) with (checksum) with (register) and @ad<20000327)	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/02 12:56
-	209	(input) with (program function routine procedure segment) and (checksum) with input and @ad<20000327	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/02 13:03
-	24	(input) with (program function routine procedure segment) and (checksum) with input with register and @ad<20000327	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/02 13:04
_	86	(checksum) with (input) with (register flag buffer variable) and @ad<20000327	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/02 13:29
_	20	(insert\$3 embed\$4) with (instruction code) with (alter\$3 modify\$3 chang\$3) with (flow) and @ad<20000327	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/02 13:36
_	91	(identify\$3) with (input) with (function routine procedure program) with (flow path) and @ad<20000327	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/02 13:41
-	6	(identify\$3) with (input) with (function routine procedure program) with (different) with (flow path) and @ad<20000327	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/02 13:38
_	1	(identify\$3) adj2 (input) adj2 (function routine procedure program) with (flow path) and @ad<20000327	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/02 13:46
-	4	(identify\$3) adj2 (input) adj2 (function routine procedure program) same (flow path) and @ad<20000327	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/02 13:51
_	1283	(checksum) with (byte) and @ad<20000327	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/02 13:53
-	3	(checksum) with (byte) with (program function routine) with (value) with (input) and @ad<20000327	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/02 13:57
_	183	(checksum) with (byte) with (program function routine) and @ad<20000327	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/02 14:02

-	13	(checksum) with (byte) with (input) with	USPAT;	2004/03/02 14:04
		(program function routine) and	US-PGPUB;	
		@ad<20000327	EPO; JPO;	
İ			IBM_TDB	
-	24	(checksum) with (input) with (program	USPAT;	2004/03/02 14:04
		function routine) with (value) and	US-PGPUB;	
		@ad<20000327	EPO; JPO;	
			IBM TDB	
-	23	6006328.URPN.	USPĀT	2004/03/02 14:08
-	47	(insert\$3 embed\$4) with (instruction) same	USPAT;	2004/03/02 15:41
	i	(modif\$4 updat\$3 chang\$3 alter\$3) with	US-PGPUB;	
		(register flag variable buffer) with	EPO; JPO;	
		(after following) and @ad<20000327	IBM TDB	